

To: dgratson@neptuneinc.org[]
Cc: []
Bcc: []
From: CN=Steve Vandegrift/OU=ADA/O=USEPA/C=US
Sent: Tue 7/17/2012 5:59:25 PM
Subject: Pavillion-Isotech Fw: Job 17997
[Job17997\(7.17\).pdf](#)
[Job17997.xls](#)
[2011QAQC.xls](#)
[P41116.pdf](#)
[P41117.pdf](#)
[P41127.pdf](#)
[P41129.pdf](#)
[P41138.pdf](#)
[P41144.pdf](#)
[P41148.pdf](#)

Dave-

Please see email below...

Steve Vandegrift, QA Manager
Ground Water and Ecosystems Restoration Division
NRMRL/ORD/USEPA
P.O. Box 1198
919 Kerr Research Dr.
Ada, OK 74820
(580)436-8684 (voice)
(580)436-8528 (fax)
vandegrift.steve@epa.gov
----- Forwarded by Steve Vandegrift/ADA/USEPA/US on 07/17/2012 12:58 PM -----

From: "Legner, Christy L" <Legner@isotechlabs.com>
To: "Pelphrey, Steven R" <steve@isotechlabs.com>, Steve Vandegrift/ADA/USEPA/US@EPA, Rick Wilkin/ADA/USEPA/US@EPA
Date: 07/17/2012 11:47 AM
Subject: Job 17997

Hi Rick-

After re-analyzing sample EPAMW02-0412-1 (Isotech lab # 245045 Job 17997) I am re-issuing a report with an updated dD value for that sample. The value obtained most recently matched with the duplicate value reported in the QC report- not the value originally reported. We actually ran it twice to confirm this. I have updated the QC spreadsheet and attached the MS raw data. I am terribly sorry for this error on our part. David Gratson has asked about this and I would be happy to send this on to him as well but wanted to check with you first before I did that. Please let me know if you have any questions.

Thanks,

Christy Legner
QC Manager
Isotech Laboratories, Inc.
1308 Parkland Court
Champaign, IL 61821-1826

PH#: 217-398-3490
FAX#: 217-398-3493

This message may contain confidential and privileged information. If it has been sent to you in error, please reply to advise the sender of the error and then immediately delete it. If you are not the intended recipient, do not read, copy, disclose or otherwise use this message. The sender disclaims any liability for such unauthorized use. PLEASE NOTE that all incoming e-mails sent to Weatherford e-mail accounts will be archived and may be scanned by us and/or by external service providers to detect and prevent threats to our systems, investigate illegal or inappropriate behavior, and/or eliminate unsolicited promotional e-mails (spam). This process could result in deletion of a legitimate e-mail before it is read by its intended recipient at our organization. Moreover, based on the scanning results, the full text of e-mails and attachments may be made available to Weatherford security and other personnel for review and appropriate action. If you have any concerns about this process, please contact us at dataprivacy@weatherford.com.